Wetlands Bureau Decision Report

Revay 28/14

Decisions Taken 01/20/2014 to 01/26/2014

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

- I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:
 - 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
 - 2) provide new evidence or information to support the requested action;
 - 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
 - 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.
- II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:
 - 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
 - 2) contain a detailed description of the land involved in the department's decision; and
 - 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

CARTER, KATHRYN

MOULTONBOROUGH Lake Winnipesaukee

Requested Action:

Permanently remove an existing 475 sq. ft. non-conforming breakwater, fill 760 sq. ft. to construct 65 linear ft. of breakwater in a "dogleg" configuration with a 7 ft. gap at the shoreline, construct a 6 ft. x 36 ft. cantilevered pier, accessed by a 6 ft. x 22 ft. cantilevered pier, with a 4 ft. x 30 ft. piling pier in a "F" configuration on an average of 192 ft. of frontage along Lake Winnipesaukee, in Moultonborough.

2

Conservation Commission/Staff Comments:

12/30/13 DHR commented: No Historic Properties Affected.

12/30/2013 Moultonborough Conservation Commission has recommended after their investigation of the application: Due to the new configuration and size, they suggest additional data to support the plan be provided. It is not clear whether a larger breakwater is needed.

APPROVE PERMIT:

Permanently remove an existing 475 sq. ft. non-conforming breakwater, fill 760 sq. ft. to construct 65 linear ft. of breakwater in a "dogleg" configuration with a 7 ft. gap at the shoreline, construct a 6 ft. x 36 ft. cantilevered pier, accessed by a 6 ft. x 22 ft. cantilevered pier, with a 4 ft. x 30 ft. piling pier in a "F" configuration on an average of 192 ft. of frontage along Lake Winnipesaukee, in Moultonborough.

- 1. All work shall be in accordance with plans by Tobin Greer dated December 12, 2013, as received by the Department on December 24, 2013.
- 2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
- 3. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
- 4. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 5. These shall be the only structures on this water frontage and all portions of the structures, including the breakwater toe of slope, shall be at least 20 ft. from the abutting property lines or the imaginary extension of those lines into the water.
- 6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
- 7. The existing breakwater shall be removed to match the elevation of the adjacent lakebed contours. There shall be no dredge to provide depth for boat slips.
- 8. No portion of breakwater as measured at normal full lake shall extend more than 50 feet from normal full lake shoreline.
- 9. The breakwater shall not exceed 3 feet in height(Elev. 507.32) over the normal high water line(Elev. 504.32).
- 10. The width as measured at the top of the breakwater(Elev. 507.32) shall not exceed 3 feet.
- 11. Rocks may not remained stockpiled on the frontage for a period longer than 60 days.
- 12. Photos showing that all construction materials have been removed from the temporary stockpile area shall be submitted to the Bureau upon completion of the docking facility.
- 13. This facility is permitted with the condition that future maintenance dredging, if needed, shall not be permitted more frequently than once every 6 years, and that a new permit shall be required for each dredge activity.
- 14. The owner understands and accepts the risk that if this facility requires dredging to maintain a minimum slip depth of 3 feet, more frequently than once every 6 years, or is shown to have an adverse impact on abutting frontages, it shall be subject to removal.
- 15. All activities shall be in accordance with the Shoreland Water Quality Protection Act, per RSA 483-B. The owner is responsible

for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This project is classified as a major project per Rule Env-Wt 303.02(j), construction of a breakwater.
- 2. The construction of a breakwater to provide safe docking at this site is justified in accordance with Rule Env-Wt 402.07, Breakwaters.
- 3. The applicant has an average of 192 feet of frontage along Lake Winnipesaukee, in Moultonborough.
- 4. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 5. The proposed docking facility will provide 2 slips as defined per RSA 482-A and therefore meets Rule Wt 402.13.
- 6. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake Winnipesaukee.
- 7. The approved breakwater replaces an existing non-conforming breakwater on this frontage.
- -Send to Governor and Executive Council-

MINOR IMPACT PROJECT

2013-01537

WOOLSON, KIMBERLY/TYLER

NEW LONDON Little Sunapee Lake

Requested Action:

Amend permit to include a seasonal boatlift in the center slip. ***********

Conservation Commission/Staff Comments:

No comments from local Con Com by Aug 30, 2013

APPROVE AMENDMENT:

Permanently remove an existing 6 ft. x 30 ft. seasonal pier, install two 6 ft. x 30 ft. seasonal piers connected by a 6 ft. x 10 ft. seasonal walkway in a "U" shaped configuration, and install a seasonal boatlift in the center slip on an average of 200 feet of shoreline frontage on Little Sunapee Lake, in New London.

- 1. All work shall be in accordance with plans by Ames Associates dated September 4, 2013, as received by the NH Department of Environmental Services (DES) on September 4, 2013, and amendment plans by Ames Associates dated December 12, 2013, as received by the NH Department of Environmental Services (DES) on January 21, 2014.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
- 3. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
- 4. The seasonal piers shall be removed from the lake for the non-boating season.
- 5. The boatlift shall be removed from the lake for the non-boating season.
- 6. No portion of the piers shall extend more than 30 feet from the shoreline at full lake elevation.
- 7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a 3 slip docking structure.

4

- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The applicant has an average of 200 feet of shoreline frontage along Little Sunapee Lake.
- 6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2013-02372

READ, LINDA

GILFORD Lake Winnipesaukee

Requested Action:

Construct two 6 ft. x 36 ft. piling piers connected by a 6 ft. x 12 ft. walkway in a "U" configuration accessed by 6 ft. wide stairs over the bank, install a permanent boatlift and 14 ft. x 30 ft seasonal canopy in the center slip, drive two 3 pile ice clusters and 2 tie-off piles, and install 2 seasonal personal watercraft lifts along the shoreline, construct a 700 sq. ft. perched beach with 6 ft. access stairs in the bank, and relocate an existing 4 ft wide stairway to access an existing 16 ft. x 20 ft. permanent dock on an average of 156 ft shoreline frontage on Lake Winnipesaukee, in Gilford.

APPROVE PERMIT:

Construct two 6 ft. x 36 ft. piling piers connected by a 6 ft. x 12 ft. walkway in a "U" configuration accessed by 6 ft. wide stairs over the bank, install a permanent boatlift and 14 ft. x 30 ft seasonal canopy in the center slip, drive two 3 pile ice clusters and 2 tie-off piles, and install 2 seasonal personal watercraft lifts along the shoreline, construct a 700 sq. ft. perched beach with 6 ft. access stairs in the bank, and relocate an existing 4 ft wide stairway to access an existing 16 ft. x 20 ft. permanent dock on an average of 156 ft shoreline frontage on Lake Winnipesaukee, in Gilford.

- 1. All work shall be in accordance with plans by Watermark Marine Construction dated July 28, 2013, as received by the NH Department of Environmental Services (DES) on September 4, 2013.
- 2. This permit shall not be effective until it has been recorded with the Belknap County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
- 3. All excavated material and construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 4. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 5. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
- 6. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elev. 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
- 7. The steps installed for access to the water shall be located completely landward of the normal high water line.
- 8. No more than 10 cu, yd, of sand may be used and all sand shall be located above the normal high water line.
- 9. This permit shall be used only once, and does not allow for annual beach replenishment.
- 10. The Permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
- 11. The 1,410 sq ft area of the bank that is subject to the abutter's viewshed easement shall be replanted to meet or exceed standards in RSA 483-B:9,V,D,i-v, with a combination of native shrubs and groundcovers.

12. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.

5

- 13. Seasonal personal watercraft lifts shall be removed for the non-boating season.
- 14. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
- 15. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of proposed start and completion date prior to performing any repair. Such repairs shall maintain the approved size, location, and configuration of the structures.
- 16. The piers shall not extend more than 36 ft. lakeward of the normal high water line (Elev. 504.32).
- 17. The minimum spacing between piles shall be 12 feet as measured center to center.
- 18. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03 (d), construction of a 3 slip docking system.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The applicant has an average of 156.5 feet of shoreline frontage along Lake Winnipesaukee.
- 6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
- 8. The existing docking structure does not provide for boat slips as defined per RSA 482-A:3.

2013-02885

CONWAY VILLAGE FIRE DISTRICT

CONWAY Unnamed Wetland Saco River

Requested Action:

Phase II Wastewater Improvements project for CVFD consisting of 17,500 ft. of new sewer force main & gravity sewer. Work includes approximately 1,670 sq ft of impacts to wetlands, consisting of 500 sq ft of rip rap on the Saco River, and 1,130 sq ft of temporary and 40 sq ft of permanent wetland impacts for site work.

APPROVE PERMIT:

Phase II Wastewater Improvements project for CVFD consisting of 17,500 ft. of new sewer force main & gravity sewer. Work includes approximately 1,670 sq ft of impacts to wetlands, consisting of 500 sq ft of rip rap on the Saco River, and 1,130 sq ft of temporary and 40 sq ft of permanent wetland impacts for site work.

- 1. All work shall be in accordance with plans by Underwood Engineers plan sheet 22A/DWG C19A, and plan sheet 37/DWG C34 as received by the NH Department of Environmental Services (DES) on 01/15/2014.
- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 3. This permit is contingent on approval by the DES Waste Management Division.
- 4. This permit is contingent on approval by the DES Shoreland Program.
- 5. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with DES Land Resources Management Program staff at the project site or at the DES Office in Concord, N.H. to review the conditions of this wetlands permit and the DES Alteration of Terrain Permit. It shall be the responsibility of the permittee to schedule the pre-construction meeting,

and the meeting shall be attended by the permittee, his/her professional engineer(s), wetlands scientist(s), and the contractor(s) responsible for performing the work.

- 6. Construction shall be inspected by a qualified wetland scientist, erosion control specialist, or professional engineer to insure that appropriate protective measures are properly implemented, including those outlined in the plans and documents supporting this permit application and the conditions of this authorization.
- 7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
- 8. Topsoil in wetlands shall be stripped and segregated from subsoil during construction. Wetland topsoils shall be stockpiled separately from subsoils and shall be restored following backfill.
- 9. Wetland restoration areas shall be seeded with a wetland seed mix.
- 10. A post-construction report documenting status of wetlands restoration shall be submitted to the Wetlands Bureau within six weeks of the completion of construction.
- 11. Wetland restoration shall not be considered successful if sites are newly invaded by nuisance species such as common reed or purple loosestrife during the first full growing season following the completion of construction. The applicant shall work with DES to attempt to eradicate nuisance species newly found along the pipeline right-of-way during this same period.
- 12. Wetland restoration of temporary impact areas shall have at least 75% successful establishment of wetlands vegetation after two (2) growing seasons, or they shall be replanted and re-established until a functional wetland is replicated in a manner satisfactory to the DES Wetlands Bureau.
- 13. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 14. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 15. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
- 16. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), alteration of less than 20,000 sq ft of nontidal wetlands and banks adjacent to nontidal surface waters.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2013-03104

MANCHESTER, CITY OF

MANCHESTER Cohas Brook

Requested Action:

Dredge and fill a total of 19,030 sq. ft. (3,975 sf permanent & 15,055 sf temporary construction impacts) in palustrine forested/scrub-shrub/emergent wetlands and a crossing of Cohas Brook for work associated with the installation of a municipal sewer main including a maintenance access drive.

APPROVE PERMIT:

Dredge and fill a total of 19,030 sq. ft. (3,975 sf permanent & 15,055 sf temporary construction impacts) in palustrine forested/scrub-shrub/emergent wetlands and a crossing of Cohas Brook for work associated with the installation of a municipal sewer

main including a maintenance access drive.

With Conditions:

1. All work shall be in accordance with plans by WSP- SELLS dated October 2,2013, as received by the NH Department of Environmental Services (DES) on November 15, 2013.

7

- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Unconfined work within Cohas Brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
- 5. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
- 6. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
- 7. Temporary cofferdams shall be entirely removed immediately following construction.
- 8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 9. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
- 10. Faulty equipment shall be repaired prior to entering jurisdictional areas.
- 11. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
- 12. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands, nontidal surface waters, or banks adjacent to nontidal surface waters.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. DES Staff conducted a field inspection of the proposed project on [date]. Field inspection determined ...

2013-03381

235 PILOTHOUSE ROAD REALTY TRUST, DANIEL CARBONNEA

NEW LONDON Sunapee Lake

Requested Action:

Replace an existing 1,580 sq. ft., two-story, crib and concrete supported boathouse over public submerged lands with a 1440 sq ft., single story, flat-roofed boathouse on piling on an average of 405 feet of shoreline frontage along Lake Sunapee, in New London.

Conservation Commission/Staff Comments:

No comments from Town of New London by Jan 15, 2014

APPROVE PERMIT:

Replace an existing 1,580 sq. ft., two-story, crib and concrete supported boathouse over public submerged lands with a 1440 sq ft., single story, flat-roofed boathouse on piling on an average of 405 feet of shoreline frontage along Lake Sunapee, in New London.

With Conditions:

- 1. All work shall be in accordance with plans by CLD Consulting Engineers dated December 2013, as received by the NH Department of Environmental Services (DES) on December 23, 2013, and revised dredge plan by CLD Consulting Engineers dated January 21, 2014, as received by the NH Department of Environmental Services (DES) on January 21, 2014, and boathouse detail plans by Shopereno Wharton, as received by the Department of Environmental Services December 23, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
- 3. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
- 4. The owner shall file a restrictive covenant in the appropriate registry of deeds limiting the use of the boathouse to the storage of boats and boating-related accessories. A copy of the recorded covenant permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
- 5. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
- 6. The boathouse shall be a single-story structure; ridgeline not to exceed 22 ft in height (Elev. 1115.5) above normal high water (Elev. 1093.5).
- 7. Dewatering of work areas and dredged materials shall be discharged to sediment basins located in uplands and lined with hay bales or other acceptable sediment trapping liner.
- 8. All dredged and excavated material and construction related debris shall be placed outside of the areas under the jurisdiction of the DES Wetlands Bureau.
- 9. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
- 10. Appropriate turbidity controls shall be installed prior to construction and shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
- 11. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 12. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
- 13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.02(d), modification of a structure providing 4 boat slips.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The approved plan replaces a 2 story boathouse with a single story boathouse having a smaller footprint and removes areas that had been used for land based activities from areas over public submerged lands.
- 6. The applicant has an average of 405 feet of shoreline frontage along Lake Sunapee.
- 7. A maximum of 6 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 8. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2013-03417 DAVIS, SCOTT TUFTONBORO Lake Winnipesaukee

Requested Action:

Permanently remove an existing seasonal dock, install two 6 ft. x 40 ft. seasonal docks with 6 ft. x 4 ft. concrete anchor pads

connected by a 6 ft. x 12 ft. seasonal walkway in a "U" configuration on an average of 150 feet of shoreline frontage on Little Bear Island, Lake Winnipesaukee, in Tuftonboro.

9

Conservation Commission/Staff Comments:

12/30/13 Tuftonboro Conservation Commission has no objections to the issuance of this permit.

APPROVE PERMIT:

Permanently remove an existing seasonal dock, install two 6 ft. x 40 ft. seasonal docks with 6 ft. x 4 ft. concrete anchor pads connected by a 6 ft. x 12 ft. seasonal walkway in a "U" configuration on an average of 150 feet of shoreline frontage on Little Bear Island, Lake Winnipesaukee, in Tuftonboro.

With Conditions:

- 1. All work shall be in accordance with plans by New Hampshire Environmental Consultants dated December 20, 2013 as received by the NH Department of Environmental Services (DES) on December 30, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
- 3. These shall be the only structures on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
- 4. The seasonal piers shall be removed from the lake for the non-boating season.
- 5. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
- 6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a docking system that exceeds the criteria for minimum impact docking structures.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The applicant has an average of 150 feet of shoreline frontage along Lake Winnipesaukee.
- 6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

MINIMUM	IMPACT	PROJE	CT
---------	---------------	-------	----

2008-01940

MIRA LAFAYETTE VENTURES LLC

PORTSMOUTH Unnamed Wetland

Requested Action:

Time extension requested.

APPROVE TIME EXTENSION:

Dredge and fill 2,335 sq. ft. of wetlands for driveway/loading area access associated with construction of a commercial convenience

01/20/2014 to 01/26/2014

store.

Waive Administrative Rule Env-Wt 304.04, Setback to Property Lines, pursuant the requirements of Part Env-Wt 204, Waivers.

10

With Conditions:

- 1. All work shall be in accordance with plans by MHF Design Consultants Inc. dated 7/3/2008, as received by DES on 9/12/2008.
- 2. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
- 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 4. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 6. The Department has determined that this project is in the vicinity of an impaired waterbody. Therefore stormwater runoff treatment for this project shall be designed and constructed so that the stormwater pollutant loads from the completed project are no greater than the stormwater pollutant loads that existed prior to the project for all pollutants causing impairment which are likely to be in stormwater discharged from the completed project.
- 7. Failure of the drainage system to function as designed and represented to protect the abutter from any drainage increases shall be the responsibility of the permittee to correct, and subject to enforcement by DES.

With Findings:

- 1. The owner certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
- 2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2013-02355

BUTLER, FREDERICK/JANICE

WINDHAM Tributary To Beaver Brook

Requested Action:

Dredge and fill a total of 2,181 sq. ft. (668 sf permanent & 1,513 sf temporary construction impacts) in a palustrine forested wetland to construct a 34' wide x 50' long 3-sided culvert on footings to span an intermittent stream and provide roadway access to a 21-lot open space residential subdivision on a 60-acre parcel of land.

Conservation Commission/Staff Comments:

10/29/13 Letter from EPA expressed concerns over project. Document being forwarded to FDR.

EPA report on 12/12/2013 states OK PGP

APPROVE PERMIT:

Dredge and fill a total of 2,181 sq. ft. (668 sf permanent & 1,513 sf temporary construction impacts) in a palustrine forested wetland to construct a 34' wide x 50' long 3-sided culvert on footings to span an intermittent stream and provide roadway access to a 21-lot open space residential subdivision on a 60-acre parcel of land.

- 1. All work shall be in accordance with plans by Edward N. Herbert Assoc. Inc. dated July 2013 (last revised 12-3-13), as received by the NH Department of Environmental Services (DES) on December 12, 2013.
- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
- 3. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
- 4. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 5. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested,

prior to construction.

6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

11

- 7. Proper headwalls shall be constructed within seven days of culvert installation.
- 8. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 11. Work shall be done during low flow.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2013-03400

TOUPIN, SUZANNE

MEREDITH Lake Winnipesaukee

Requested Action:

Retain after-the-fact two support post to an existing 12 ft. x 17 ft. deck over public waters with a 3.5 ft. x 30 ft. seasonal dock, on Lake Winnipesaukee, Meredith.

Conservation Commission/Staff Comments:

Con Com did not sign application

APPROVE PERMIT:

Retain after-the-fact two support post to an existing 12 ft. x 17 ft. deck over public waters with a 3.5 ft. x 30 ft. seasonal dock, on Lake Winnipesaukee, Meredith.

- 1. All work shall be in accordance with plans by New Hampshire Environmental Consultants dated December 13, 2013, as received by the NH Department of Environmental Services (DES) on December 26, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
- 2. The repairs shall maintain the size, location and configuration of the pre-existing structures.
- 3. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
- 4. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
- 5. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 6. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.

01/20/2014 to 01/26/2014

3. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

12

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2013-03401

BENNETT FAMILY 2002 TRUST

ANTRIM Franklin Pierce Lake

Requested Action:

Retain a 6 ft. x 16 ft. seasonal dock accessed by a 4 ft. x 10 ft. ramp creating a seasonal dock extending 20 feet lakeward providing one slip on an average of 36 feet of shoreline frontage, Franklin Pierce Lake, Antrim. ************

Conservation Commission/Staff Comments:

Con Com did not sign application

APPROVE AFTER THE FACT:

Retain a 6 ft. x 16 ft. seasonal dock accessed by a 4 ft. x 10 ft. ramp creating a seasonal dock extending 20 feet lakeward providing one slip on an average of 36 feet of shoreline frontage, Franklin Pierce Lake, Antrim.

With Conditions:

- 1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on December 26, 2013.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
- 3. This shall be the only structure on this water frontage.
- 4. Seasonal pier shall be removed from the lake for the non-boating season.
- 5. No portion of the pier shall extend more than 20 feet from the shoreline at full lake elevation.
- 6. No boat attached to the dock shall extend over the extension of the abutter's property line.
- 7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), installation of a seasonal dock.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The dock is located in a deeded easement specifically to access the waterbody with a dock, therefore abutter permission is not required from the affected abutter.

FORESTRY NOTIFICATION

2014-00217

LINFIELD, ANDREW/STEVEN

01/20/2014 to 01/26/2014

ALEXANDRIA Unnamed Stream

COMPLETE NOTIFICATION: Alexandria, Tax Map #407, Lot #45

GOLD DREDGE

2014-00218

MURRAY, CHARLES

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath Con Com

2014-00219

HETRICK, DAVID

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath Con Com

2014-00221

DADARIO, JAVIER ALEX

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath Con Com

2014-00224

BOURNE, ROY

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath Con Com

2014-00240

BARTLETT, HENRY

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath Con Com

14

2014-00242

PARKINGTON, JASCHA

(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments: cc Bath Con Com

TRAILS NOTIFICATION

2013-03330

SMITH, EDWARD

SURRY Unnamed Stream

COMPLETE NOTIFICATION:

Five culverts, Surry, Tax Map #9A, Lot #22

2013-03360

WHITE MOUNTAIN NATIONAL FOREST

LINCOLN Unnamed Stream

COMPLETE NOTIFICATION:

Seven box culverts, Lincoln, Tax Map 410, Lot 1

2013-03361

WHITE MOUNTAIN NATIONAL FOREST

ELLSWORTH Unnamed Stream

COMPLETE NOTIFICATION:

Forty box culverts and sixteen bridges, Ellsworth, Tax Map #USFS

2013-03363

WHITE MOUNTAIN NATIONAL FOREST

ELLSWORTH Unnamed Stream

COMPLETE NOTIFICATION:

Two bridges and eight box culverts, Ellsworth, Tax Map #USFS

2013-03364

NH DRED

LINCOLN Unnamed Stream

COMPLETE NOTIFICATION:

Twelve culverts and nine bridges, Lincoln, Tax Map 405, Lot 1

LAKES-SEASONAL DOCK NOTIF

2014-00207

GREEN, WILLIAM JR REV TRUST

01/20/2014 to 01/26/2014

NEW LONDON Clark Pond

Requested Action:

Installation of a 6 ft. x 30 ft. seasonal docking structure.

COMPLETE NOTIFICATION:

Installation of a 6 ft. x 30 ft. seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

2014-00189

PETERBOROUGH, TOWN OF

PETERBOROUGH Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:

Replace two 18" culverts extending one 13 x 5 ft, replace a 12", four 12" to be 15", a 15", and two 24" culverts.

PERMIT BY NOTIFICATION

2014-00025

CULLEN, GAIL

MEREDITH Lake Winnipesaukee

Requested Action:

Repair in kind an existing 4 ft. x 50 ft. seasonal dock connected to a 12 ft. x 12 ft. crib at the shoreline on Lake Winnipesaukee, in accordance with plans received January 06, 2014.

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

PBN IS COMPLETE:

Repair in kind an existing 4 ft. x 50 ft. seasonal dock connected to a 12 ft. x 12 ft. crib at the shoreline on Lake Winnipesaukee, in accordance with plans received January 06, 2014.

CSPA PERMIT

2013-02501

BENTLEY, GARY

CENTER BARNSTEAD Locke Lake

Requested Action:

Impact 2,540 sq ft in order to construct a 24ft x 26ft garage. ***********

APPROVE AMENDMENT:

Impact 2,540 sq ft in order to construct a 24ft x 26ft garage.

With Conditions:

1. All work shall be in accordance with plans by Prospect Mountain Survey dated August 15, 2013 and received by the NH Department of Environmental Services (DES) on September 13, 2013.

16

- 2. No more than 12% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 3,838 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wg 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00058

DAVID F & SALLY A SANDS FAMILY TRUST

KINGSTON Great Pond

Requested Action:

Impact 7,466 sq ft in order to install a septic system, relocate a garage, and construct a gravel driveway. ***********

APPROVE PERMIT:

Impact 7,466 sq ft in order to install a septic system, relocate a garage, and construct a gravel driveway.

- 1. All work shall be in accordance with plans by Civil Construction Management, Inc. dated December 2, 2013 and received by the NH Department of Environmental Services (DES) on January 9, 2014.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 23% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or

contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.

7. Any fill used shall be clean sand, gravel, rock, or other suitable material.

01/20/2014 to 01/26/2014

8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00085

BUZDEREWICZ, EUGENE/SHIRLEY ANN

KINGSTON Great Pond

Requested Action:

APPROVE PERMIT:

Impact 1,022 sq ft in order to install septic tanks and pump chamber for a shared septic system.

With Conditions:

- 1. All work shall be in accordance with plans by Civil Construction Management, Inc. dated December 2, 2013 and received by the NH Department of Environmental Services (DES) on January 10, 2014.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 19% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00094

MILLSPAUGH, JUDSON

BARNSTEAD Upper Suncook Lake

Requested Action:

APPROVE PERMIT:

Impact 23,560 sq ft in order to re-grade existing driveway, construct an addition to the house, add new parking area, repair and modify retaining wall, extend basement, and construct a pathway toward the lake.

- 1. All work shall be in accordance with plans by Holden Engineering & Surveying, Inc. dated October 31, 2013 and received by the NH Department of Environmental Services (DES) on January 21, 2014.
- 2. No more than 16.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 6,877 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).

- 01/20/2014 to 01/26/2014
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

18

- 5. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00105

SEA-3 INC

NEWINGTON Piscataqua River

Requested Action:

Impact 5,675 sq ft in order to construct facilities onsite and upgrade existing conditions.

APPROVE PERMIT:

Impact 5,675 sq ft in order to construct facilities onsite and upgrade existing conditions.

With Conditions:

- 1. All work shall be in accordance with plans by Haight Engineering, PLLC dated January 2, 2014 and received by the NH Department of Environmental Services (DES) on January 13, 2014.
- 2. No more than 54% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 12,650 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wg 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00106

J & A BARBAGALLO NOM TRUST

WINDHAM Cobbett's Pond

Requested Action:

Impact 4,251 sq ft in order to raze existing home and construct new single family dwelling, new septic system and other site improvements.

APPROVE PERMIT:

Impact 4,251 sq ft in order to raze existing home and construct new single family dwelling, new septic system and other site

improvements.

With Conditions:

- 1. All work shall be in accordance with plans by Benchmark Engineering, Inc. dated October 3, 2013 and received by the NH Department of Environmental Services (DES) on January 13, 2014.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 42% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00116

ARVIN & NANCY MILLER TRUST

CENTER HARBOR Waukewan Lake

Requested Action:

Impact 2,935 sq ft in order to expand the footprint of the existing residence by 415 sq ft and construct a walkway toward the waterfront.

APPROVE PERMIT:

Impact 2,935 sq ft in order to expand the footprint of the existing residence by 415 sq ft and construct a walkway toward the waterfront.

With Conditions:

- 1. All work shall be in accordance with plans by Ames Associates dated December 4, 2013 and received by the NH Department of Environmental Services (DES) on January 14, 2014.
- 2. No more than 13.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 4,445 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00122

MCCOY, JESSICA

BARRINGTON Swains Lake

01/20/2014 to 01/26/2014

Requested Action:

Impact 1,582 sq ft in order to demo existing home, expand the foundation laterally and construct a new home.

APPROVE PERMIT:

Impact 1,582 sq ft in order to demo existing home, expand the foundation laterally and construct a new home.

With Conditions:

1. All work shall be in accordance with plans by Geometres Blue Hills, LLC dated August 14, 2013 and received by the NH Department of Environmental Services (DES) on January 15, 2014.

20

- 2. No more than 15.49% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 524 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

CSPA PERMIT W/WAIVER

2014-00061

DIORIO, DAVID

BARNSTEAD Lower Suncook Lake

Requested Action:

Impact 4,348 sq ft in order to remove existing house and replace with a new house, install a septic system and well, extend the driveway and install stormwater measures.

APPROVE PERMIT:

Impact 4,348 sq ft in order to remove existing house and replace with a new house, install a septic system and well, extend the driveway and install stormwater measures.

- 1. All work shall be in accordance with plans by Varnney Engineering, LLC dated December 23, 2013 and received by the NH Department of Environmental Services (DES) on January 9, 2014.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 27.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 1,548 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the

site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2014-00197

PSNH

NASHUA Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00198

PSNH

NELSON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00201

PSNH

NEW BOSTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00202

PSNH

NEW HAMPTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00204

PSNH

NEW IPSWICH Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00208

PSNH

NEW LONDON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00209

PSNH

NEWINGTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00210

MINEROWICZ, EDWARD

NEWMARKET Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00211

PSNH

NEWPORT Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00212

PSNH

01/20/2014 to 01/26/2014

NORTH HAMPTON Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00213

PSNH

NORTHFIELD Unnamed Wetland

Conservation Commission/Staff Comments: See file for 2014-00002 fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00214

PSNH

NORTHUMBERLAND Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00215

PSNH

NORTHWOOD Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00216

PSNH

NOTTINGHAM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-0000s for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

24

2014-00228

PSNH

PELHAM Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00233

PSNH

PORTSMOUTH Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00234

PSNH

RANDOLPH Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00235

NELSON, KURT

RAYMOND Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-000002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00236

NELSON, KURT

RICHMOND Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

01/20/2014 to 01/26/2014

2014-00238

NELSON, KURT

RINDGE Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION: Vegetative maintenance in ROW.

2014-00239

NELSON, KURT

ROCHESTER Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

2014-00241

NELSON, KURT

SANDOWN Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

-Send to Governor and Executive Council-

2014-00245

NELSON, KURT

SANDWICH Unnamed Wetland

Conservation Commission/Staff Comments: See file 2014-00002 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance in ROW.

		·	
P			